




750 Gal. Vault Tank



TRANSFORMER BOX PADS


VERTICAL TANKS



ADAPTER TOP



TWO-PIECE CISTERN



GP FIBERGLASS LTD.

Box 3400, Melfort, Saskatchewan S0E 1A0



Tel (306) 752-3813

Fax (306) 752-5422


www.gpfiberglass.com

WATER TANKS

750 Gal. Pump Out



BURIAL TANKS



CORRUGATED WELL CASINGS



BURIAL TANKS

5 FOOT DIAMETER

FEATURES:

- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight

BENEFITS:

All tanks come complete with:

- ◆ 6" screw lid
- ◆ 30" diameter manholes
- ◆ Tanks are complete with hardware and gasket, pre-drilled, bolt on collar and are unassembled for shipping

OPTIONS:

- ◆ Manhole 2 ½ ft.
- ◆ Manhole 5 ft.
- ◆ Industrial use


HOLDING TANK

All tanks are CSA approved

Maximum burial depth is 7 feet

All tanks are complete with hardware and gasket, pre-drilled holes, bolt on collar and are unassembled for shipping

All sizes have 30 inch diameter manholes



| MODEL | SHIPPING | SHIPPING | SHIPPING | RETENTION | | ASSEMBLED | |
|----------|------------|---------------|-------------------|-----------|--------|-------------|--|
| GALLONS | WEIGHT LB. | CUBIC FT. SQ. | SIZE | GALLONS | LITERS | LENGTH | |
| BTH 750 | 363 | 107 sq. ft. | 5' 5" dia x 4' 6" | 750 | 3400 | (2.44m) 8' | |
| BTH 1000 | 488 | 107 sq. ft. | 5' 5" dia x 4' 6" | 1000 | 4546 | (3.05m) 10' | |
| BTH 1250 | 613 | 119 sq. ft. | 5' 5" dia x 5' | 1250 | 5683 | (3.66m) 12' | |
| BTH 1500 | 738 | 166 sq. ft. | 5' 5" dia x 7' | 1500 | 6819 | (4.27m) 14' | |
| BTH 1750 | 863 | 214 sq. ft. | 5' 5" dia x 9' | 1750 | 7956 | (4.88m) 16' | |
| BTH 2000 | 988 | 262 sq. ft. | 5' 5" dia x 11' | 2000 | 9092 | (5.49m) 18' | |

| MANHOLE EXT. | DIAMETER | LENGTH | SHIPPING WEIGHT | |
|--------------|-----------|-----------|-----------------|--|
| BTH 1 ft | 30 inches | 12 inches | 12 lb. | |
| BTH 2.5 ft. | 30 inches | 30 inches | 30 lb. | |
| BTH 5 ft. | 30 inches | 60 inches | 60 lb. | |


G.P. Fiberglass Ltd.
Box 3400, Melfort, Saskatchewan
CANADA S0E 1A0

Phone: (306) 752-3813
Fax: (306) 752-5422

e-mail gphillips@gpfiberglass.com
www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



BURIAL TANKS

5 FOOT DIAMETER

FEATURES:

- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight

BENEFITS:

All tanks come complete with:

- ◆ 6" screw lid
- ◆ 30" diameter manholes
- ◆ Tanks are complete with hardware and gasket, pre-drilled, bolt on collar and are unassembled for shipping

OPTIONS:

- ◆ Manhole 2 ½ ft.
- ◆ Manhole 5 ft.
- ◆ Industrial use


PUMP OUT

All tanks are CSA approved

Maximum burial depth is 7 feet

All tanks are complete with hardware and gasket, pre-drilled holes, bolt on collar and are unassembled for shipping

All sizes have 30 inch diameter manholes



| MODEL | SHIPPING | SHIPPING | SHIPPING | RETENTION | PUMP OUT | | ASSEMBLED |
|-----------|------------|---------------|-------------------|-----------|----------|--|-------------|
| GALLONS | WEIGHT LB. | CUBIC FT. SQ. | SIZE | GALLONS | GALLONS | | LENGTH |
| BTPO 750 | 488 | 107 sq. ft. | 5' 5" dia x 4' 6" | 485 | 195 | | (2.44m) 8' |
| BTPO 1000 | 615 | 107 sq. ft. | 5' 5" dia x 4' 6" | 700 | 195 | | (3.05m) 10' |
| BTPO 1250 | 740 | 119 sq. ft. | 5' 5" dia x 5' | 926 | 195 | | (3.66m) 12' |
| BTPO 1500 | 865 | 166 sq. ft. | 5' 5" dia x 7' | 1153 | 195 | | (4.27m) 14' |
| BTPO 1750 | 990 | 214 sq. ft. | 5' 5" dia x 9' | 1380 | 195 | | (4.88m) 16' |
| BTPO 2000 | 1115 | 262 sq. ft. | 5' 5" dia x 11' | 1608 | 195 | | (5.49m) 18' |

| MANHOLE EXT. | DIAMETER | LENGTH | SHIPPING WEIGHT | |
|--------------|-----------|-----------|-----------------|--|
| BTM 1 ft | 30 inches | 12 inches | 12 lb. | |
| BTM 2.5 ft. | 30 inches | 30 inches | 30 lb. | |
| BTM 5 ft. | 30 inches | 60 inches | 60 lb. | |

G.P. Fiberglass Ltd.
Box 3400, Melfort, Saskatchewan

CANADA S0E 1A0
Phone: (306) 752-3813

Fax: (306) 752-5422

e-mail gphillips@gpfiberglass.com

www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



BURIAL TANKS

5 FOOT DIAMETER

FEATURES:

- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight
- ◆ Interior is gelcoated

BENEFITS:

All tanks come complete with:

- ◆ 6" screw lid
- ◆ 30" diameter manholes
- ◆ Other sizes of outlets available
- ◆ Tanks are complete with hardware and gasket, pre-drilled, bolt on collar and are unassembled for shipping

OPTIONS:

- ◆ Manhole 2 ½ ft.
- ◆ Manhole 5 ft.
- ◆ Industrial use


WATER CISTERN

Interior is white gelcoated

Maximum burial depth is 7 feet

All tanks are complete with hardware and gasket, pre-drilled holes, bolt on collar and are unassembled for shipping

All sizes have 30 inch diameter manholes



| MODEL | SHIPPING | SHIPPING | SHIPPING | RETENTION | | | ASSEMBLED |
|----------|------------|---------------|-------------------|-----------|--------|--|-------------|
| GALLONS | WEIGHT LB. | CUBIC FT. SQ. | SIZE | GALLONS | LITERS | | LENGTH |
| BTC 750 | 363 | 107 sq. ft. | 5' 5" dia x 4' 6" | 750 | 3410 | | (2.44m) 8' |
| BTC 1000 | 488 | 107 sq. ft. | 5' 5" dia x 4' 6" | 1000 | 4546 | | (3.05m) 10' |
| BTC 1250 | 613 | 119 sq. ft. | 5' 5" dia x 5' | 1250 | 5683 | | (3.66m) 12' |
| BTC 1500 | 738 | 166 sq. ft. | 5' 5" dia x 7' | 1500 | 6819 | | (4.27m) 14' |
| BTC 1750 | 863 | 214 sq. ft. | 5' 5" dia x 9' | 1750 | 7956 | | (4.88m) 16' |
| BTC 2000 | 988 | 262 sq. ft. | 5' 5" dia x 11' | 2000 | 9092 | | (5.49m) 18' |

| MANHOLE EXT. | DIAMETER | LENGTH | SHIPPING WEIGHT | |
|--------------|-----------|-----------|-----------------|--|
| BTM 1 ft. | 30 inches | 12 inches | 12 lb. | |
| BTM 2.5 ft. | 30 inches | 30 inches | 30 lb. | |
| BTM 5 ft. | 30 inches | 60 inches | 60 lb. | |

G.P. Fiberglass Ltd.
 Box 3400, Melfort, Saskatchewan
 CANADA S0E 1A0
 Phone: (306) 752-3813
 Fax: (306) 752-5422
 e-mail gphillips@gpfiberglass.com
 www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
 PRICES ARE IN CANADIAN DOLLARS
 PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
 TAXES ARE EXTRA ON ALL CATALOGUE PRICES
 PRICES AS OF JANUARY 2007



BURIAL TANKS

5 FOOT DIAMETER

FEATURES:

- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight

BENEFITS:

All tanks come complete with:

- ◆ 6" screw lid
- ◆ 30" diameter manholes
- ◆ Tanks are complete with hardware and gasket, pre-drilled, bolt on collar and are unassembled for shipping

OPTIONS:

- ◆ Manhole 2 ½ ft.
- ◆ Manhole 5 ft.
- ◆ Industrial use


TRICKLE

All tanks are CSA approved

Maximum burial depth is 7 feet

All tanks are complete with hardware and gasket, pre-drilled holes, bolt on collar and are unassembled for shipping

All sizes have 30 inch diameter manholes



| MODEL | SHIPPING | SHIPPING | SHIPPING | RETENTION | | ASSEMBLED |
|----------|------------|---------------|-------------------|-----------|--------|-------------|
| GALLONS | WEIGHT LB. | CUBIC FT. SQ. | SIZE | GALLONS | LITERS | LENGTH |
| BTT 750 | 363 | 107 sq. ft. | 5' 5" dia x 4' 6" | 682 | 3100 | (2.44m) 8' |
| BTT 1000 | 488 | 107 sq. ft. | 5' 5" dia x 4' 6" | 898 | 4082 | (3.05m) 10' |
| BTT 1250 | 613 | 119 sq. ft. | 5' 5" dia x 5' | 1125 | 5114 | (3.66m) 12' |
| BTT 1500 | 738 | 166 sq. ft. | 5' 5" dia x 7' | 1352 | 6146 | (4.27m) 14' |
| BTT 1750 | 863 | 214 sq. ft. | 5' 5" dia x 9' | 1579 | 7178 | (4.88m) 16' |
| BTT 2000 | 988 | 262 sq. ft. | 5' 5" dia x 11' | 1805 | 8210 | (5.49m) 18' |

| MANHOLE EXT. | DIAMETER | LENGTH | SHIPPING WEIGHT |
|--------------|-----------|-----------|-----------------|
| BTM 1 ft | 30 inches | 12 inches | 12 lb. |
| BTM 2.5 ft. | 30 inches | 30 inches | 30 lb. |
| BTM 5 ft. | 30 inches | 60 inches | 60 lb. |

G.P. Fiberglass Ltd.
Box 3400, Melfort, Saskatchewan
CANADA S0E 1A0

Phone: (306) 752-3813

Fax: (306) 752-5422

e-mail gphillips@gpfiberglass.com

www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



VERTICAL TANKS OR CISTERN

FEATURES:

- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight
- ◆ Easily Repaired
- ◆ Interior is gelcoated

BENEFITS:

All tanks come complete with:

- ◆ 12" screw lid
- ◆ Other sizes of outlets available
- ◆ Tanks are complete with hardware and gasket, pre-drilled and unassembled for shipping

OPTIONS:

- ◆ Industrial use


VAULT TANK

250, 375, and 500 gallon tanks are CSA approved.

Interior is white gelcoated

All tanks are complete with hardware and gasket, pre-drilled holes and are unassembled for shipping.

- ◆ Each section is joined by bolts and gasket. They can be turned on edge and carried through a standard doorway for easy bolt-together assembly in basement.



| MODEL GALLONS | SHIPPING WEIGHT LB. | SHIPPING CUBIC FT. SQ. | SHIPPING SIZE | CAPACITY | | ASSEMBLED LENGTH |
|------------------|------------------------|---------------------------|------------------|----------|--------|---------------------|
| | | | | GALLONS | LITERS | |
| LV 250 | 180 | 47 sq. ft. | 5' 5" dia x 2' | 250 | 1136 | 5'5" dia x 2' h |
| LV 500 | 250 | 53 sq. ft. | 5' 5" dia x 2'4" | 500 | 2273 | 5'5" dia x 4' h |
| LV 750 | 375 | 53 sq. ft. | 5' 5" dia x 2'4" | 750 | 3410 | 5'5" dia x 6' h |
| LV 1000 | 500 | 100 sq. ft. | 5' 5" dia x 4'4" | 1000 | 4546 | 5'5" dia x 8' h |
| LV 375 | 220 | 95 sq. ft. | 5' 5" dia x 4' | 375 | 1705 | 5'5" dia x 4' h |

G.P. Fiberglass Ltd.
Box 3400, Melfort, Saskatchewan
CANADA S0E 1A0

Phone: (306) 752-3813

Fax: (306) 752-5422

e-mail gphillips@gpfiberglass.com

www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



TWO-PIECE CISTERN

FEATURES:

- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight
- ◆ Easily Repaired

BENEFITS:

All tanks come complete with:

- ◆ 15" screw lid
- ◆ Other sizes of outlets available
- ◆ Tanks are complete with hardware and gasket, pre-drilled and are unassembled for shipping


OPTIONS:

- ◆ Industrial use

1100 GALLON Bolt-Together Two-Piece Cistern

Interior is white gelcoated

All tanks are complete with hardware and gasket, pre-drilled holes and are unassembled for shipping



| MODEL | SHIPPING | SHIPPING | SHIPPING | CAPACITY | | | ASSEMBLED |
|---------|------------|---------------|-------------------------|----------|--------|--|----------------------|
| GALLONS | WEIGHT LB. | CUBIC FT. SQ. | SIZE | GALLONS | LITERS | | LENGTH |
| LH 1100 | 570 | 107 sq. ft. | 6'8" w -12' 5" l -20" h | 1100 | 5000 | | 6'8" w -12'5" l -32" |

G.P. Fiberglass Ltd.
Box 3400, Melfort, Saskatchewan
CANADA S0E 1A0

Phone: (306) 752-3813

Fax: (306) 752-5422

e-mail gphillips@gpfiberglass.com

www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



WATER TANKS

FEATURES:

- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight
- ◆ Easily Repaired
- ◆ Interior is gelcoated

BENEFITS:

All tanks come complete with:


- ◆ 8" screw lid
- ◆ 30" diameter manholes
- ◆ Other sizes of outlets available

OPTIONS:

- ◆ Industrial use

VERTICAL OR HORIZONTAL

Interior is white gelcoated



| MODEL | DIAMETER | HEIGHT | GALLONS |
|--------|----------|--------|---------|
| SV 90 | 30" | 3' | 90 |
| SV 120 | 30" | 4' | 120 |
| SV 150 | 30" | 5' | 150 |
| SV 180 | 30" | 6' | 180 |
| SV 210 | 30" | 7' | 210 |

G.P. Fiberglass Ltd.
Box 3400, Melfort, Saskatchewan
CANADA S0E 1A0

Phone: (306) 752-3813

Fax: (306) 752-5422

e-mail gphillips@gpfiberglass.com

www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



CORRUGATED WELL CASING

FEATURES:


- ◆ Stackable
- ◆ Lightweight
- ◆ Easy to install
- ◆ Never needs painting
- ◆ Extensions available
- ◆ Adaptable
- ◆ Well designed
- ◆ Economical
- ◆ Rust Proof

BENEFITS:

- ◆ Freight Savings
- ◆ Lids available

OPTIONS:


- ◆ 30 in. well cap
- ◆ Extensions



Completely corrosion
resistant and will
not rust or
contaminate

Corrugated for extra strength

25 ft. length, 30 in. diameter




S 30 inch diameter by 25 ft 325 lb./length
H 30 inch diameter by 25 ft 400 lb./length
30 inch diameter Well Cap
30 inch Coupler
Cutting charge shorter than full length

Please call for pricing

G.P. Fiberglass Ltd.
Box 3400, Melfort, Saskatchewan
CANADA S0E 1A0
Phone: (306) 752-3813
Fax: (306) 752-5422
e-mail gphillips@gpfiberglass.com
www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



WATER HAULING TANKS



FEATURES:

- ◆ Low Profile
- ◆ Low Center of Gravity
- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight
- ◆ Easily Repaired
- ◆ Reinforced Bottom on tank

BENEFITS:

All tanks come complete with:

- ◆ 12" Threaded manway with 4" vented center
- ◆ Standard 2" threaded outlet
- ◆ Other sizes of outlets available
- ◆ Tie down hooks
- ◆ Reinforced bottom on tank

OPTIONS:

- ◆ Baffles at \$150.00 extra each half
- ◆ Extra Outlet
- ◆ Chemical resistant layer available for Liquid Fertilizer, Chemicals
- ◆ Industrial use

12 INCH THREADED MANWAY

240, 300, 400, 500, gallon tanks are CSA approved

Tanks must sit on flat surface free of sharp objects


Ideal for sprayer tanks with optional

*Sump

*Tee agitator

*Sight tube and elbows

Please call for pricing.



| MODEL | SHIPPING | SHIPPING | DIMENSION | | | CAPACITY | | |
|---------|------------|---------------|---------------------------|---------|-------|----------|--------|--|
| GALLONS | WEIGHT LB. | CUBIC FT. SQ. | SIZE: width/length/height | | | GALLONS | LITERS | |
| FO 160 | 115 | 25 sq. ft. | 44" w | 47" l | 24" h | 160 | 728 | |
| FO 240 | 125 | 38 sq. ft. | 4' 3" w | 5' l | 28" h | 240 | 1090 | |
| FO 300 | 157 | 48 sq. ft. | 4' 3" w | 5' l | 36" h | 300 | 1363 | |
| FO 400 | 171 | 64 sq. ft. | 4' 3" w | 6' l | 36" h | 400 | 1818 | |
| FO 500 | 190 | 80 sq. ft. | 4' 3" w | 7' 3" l | 36" h | 500 | 2272 | |
| FO 600 | 208 | 96 sq. ft. | 4' 3" w | 8' 6" l | 36" h | 600 | 2727 | |

G.P. Fiberglass Ltd.

Box 3400, Melfort, Saskatchewan

CANADA S0E 1A0

Phone: (306) 752-3813

Fax: (306) 752-5422

e-mail gphillips@gpfiberglass.com

www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



WATER HAULING TANKS



FEATURES:

- ◆ Low Profile
- ◆ Low Center of Gravity
- ◆ Rust Proof
- ◆ Corrosion Proof
- ◆ Lightweight
- ◆ Easily Repaired
- ◆ Reinforced Bottom on tank

BENEFITS:

All tanks come complete with:

- ◆ 15" Threaded manway with 4" vented center
- ◆ Standard 2" threaded outlet
- ◆ Other sizes of outlets available
- ◆ Tie down hooks
- ◆ Reinforced bottom on tank
- ◆ Baffles included
- ◆ 1500 gal & 1700 gal Tanks have two baffles

OPTIONS:

- ◆ Tanks available without baffles
- ◆ Extra baffles at \$ 200.00 each half
- ◆ Chemical resistant layer available for Liquid Fertilizer, Chemicals
- ◆ Industrial use

15 INCH THREADED MANWAY

Tanks must sit on flat surface free of sharp objects


Ideal for sprayer tanks with optional

*Sump

*Tee agitator

*Sight tube and elbows

Please call for pricing.



| MODEL | SHIPPING | SHIPPING | DIMENSION | | | CAPACITY | | |
|---------|------------|---------------|---------------------------|-------|-------|----------|--------|--|
| GALLONS | WEIGHT LB. | CUBIC FT. SQ. | SIZE: width/length/height | | | GALLONS | LITERS | |
| FO 800 | 500 | 128 sq. ft. | 6' 3" w | 8' l | 36" h | 800 | 3636 | |
| FO 1050 | 585 | 168 sq. ft. | 6' 3" w | 10' l | 36" h | 1050 | 4772 | |
| FO 1250 | 665 | 200 sq. ft. | 6' 3" w | 12' l | 36" h | 1250 | 5682 | |
| FO 1500 | 785 | 240 sq. ft. | 6' 3" w | 14' l | 36" h | 1500 | 6820 | |
| FO 1700 | 900 | 272 sq. ft. | 6' 3" w | 16' l | 36" h | 1700 | 7728 | |

G.P. Fiberglass Ltd.

Box 3400, Melfort, Saskatchewan

CANADA S0E 1A0

Phone: (306) 752-3813


Fax: (306) 752-5422

e-mail gphillips@gpfiberglass.com

www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007



PARTS AND ACCESSORIES

| | |
|--|--|
| END 375 gallon for 5 ft. diameter sewage. | |
| END 375 gallon for 5 ft. diameter cistern | |
| INSERT 250 gallon for sewage | |
| INSERT 250 gallon for cistern vault or burial tank | |
| VAULT 250 gallon - no top for sewage. | |
| VAULT 250 gallon - no top for cistern. | |
| BAFFLE for 750 gallon pump out tank or larger | |
| FLAT SHEET 5 ft. diameter for 250 gallon or 375 gallon vault tanks | |
| COLLAR 30 in. diameter for burial tank | |
| COVER 30 in. diameter with center 6 in. cap for burial tank | |
| GASKET for 5 ft. diameter tank joint 15 ft. roll | |
| SET of 36 bolts, 36 nuts and 72 flat washers for 5 ft. diameter tank joint | |
| BAFFLE LINER for cement pump out tank | |
| 8 in. LID c/w air breather | |
| 8 in. LID & RIM c/w air breather | |
| 12 in. LID | |
| 12 in. LID & air breather | |
| 12 in. LID & RIM c/w 4 in. diameter air breather | |
| 15 in. LID | |
| 15 in. LID c/w air breather | |
| 15 in. LID & RIM c/w 4 in. diameter air breather | |
| AIR BREATHER for 12 in. and 15 in. lids | |
| 3/4 in. BULKHEAD assembly c/w nut washer | |
| 1 in. BULKHEAD assembly c/w nut washer | |
| 1 ¼ in. BULKHEAD assembly c/w nut washer | |
| 1 ½ in. BULKHEAD assembly c/w nut washer | |
| 2 in. BULKHEAD assembly c/w nut washer | |
| 1 GALLON of resin with catalyst | |
| MATTING -1 ½ oz. 1 lb. = 10.66 sq. ft. per lb. | |
| WOVEN ROVING 24 oz. 1 lb. = 6 sq. ft. per lb. | |
| FIBERGLASS TOILET for vault tanks | |
| TOILET SEAT with open front and lid | |

G.P. Fiberglass Ltd.
Box 3400, Melfort, Saskatchewan
CANADA S0E 1A0
Phone: (306) 752-3813
Fax: (306) 752-5422
e-mail gphillips@gpfiberglass.com
www.gpfiberglass.com

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
PRICES ARE IN CANADIAN DOLLARS
PRICES QUOTED ARE F.O.B. FACTORY

All measurements and weights are approximate
TAXES ARE EXTRA ON ALL CATALOGUE PRICES
PRICES AS OF JANUARY 2007